

Project Name:	
Location:	
Item #:	Qty:
Model:	

# MIM120 SELF-CONTAINED ICE MACHINE

**MODEL:** 

MIM120



The MIM120 self-contained, air-cooled ice machine is perfect for any free-standing or built-in application. Each unit features a self-contained storage bin and a durable, easy to clean stainless steel and black plastic trim exterior. The easy-to-use controls, front-breathing design with vertical evaporator and proven ice making technology will deliver years of reliable ice production.

# FEATURES AND CONSTRUCTION —

- Stainless steel exterior with black plastic trim
- Air cooled compressor
- Programmable, solid state, digital electronic control system.
- Built-in self cleaning mode
- Automatic shut off / overflow protection
- Includes scoop
- Includes tubing for supply and drain lines

#### DAILY ICE PRODUCTION —

Air Temp 70°F (21°C) / Water Temp 50°F (10°C) MIM120......120 lbs (54.4 kg)

Air Temp 90°F (32°C) / Water Temp 70°F (21°C) MIM120......97 lbs (44 kg)

#### ICE BIN STORAGE CAPACITY —

MIM120......35 lbs (15.9 kg)

## **OPERATING REQUIREMENTS -**

Water Supply Line Connection ...... 3/8" FPT

Water Pressure Range:

\*Above 75 PSI requires a regulator

Energy Consumption per 100 lbs of ice:

MIM120......11.3 kWh/100 lbs

#### **ELECTRIC** -

115V / 60Hz / 1Ph (230V / 50-60Hz / 1Ph is available as an option) 6' (2m) NEMA 5-15P cord set inculded



## **3RD PARTY APPROVALS**










Zero Ozone Depletion Potential


Certified to ANSI NSF 12 Certified to ANSI UL 563


#### MAXX ICE WARRANTY (USA / CANADA)


Contact Maxx Ice for warranty statement at TechnicalServices@TheLegacyCompanies.com or 877.368.2797

FRONT VIEW SIDE VIEW









MODEL	EXTERNAL Dimensions	DAILY ICE PRODUCTION (70°F Air / 50°F Water)	ICE BIN Storage cpacity	NET WEIGHT / Shipping Weight	AMP DRAW (Nominal/Max)	REFRIGERANT And Charge Size	ELECTRICAL
MIM120	22" x 21" x 32.7" (558 x 534 x 830 mm)	120 lbs (54.4 kg)	35 lbs (15.9kg)	110 lbs (50 kg) 129 lbs (58.5 kg)	7.5A / 11.8A	R-134a 8.47oz (240g)	115V / 60Hz / 1Ph

## **INSTALLATION** -

- A clearance of 2" from the wall is recommended to promote adequate cooling air circulation
- A gravity drain line is required to install this ice machine
- For optimal performance, the use of a water filter is recommended